



PT-100 Resistance/Ohms Chart

°C (t90)	0	1	2	3	4	5	6	7	8	9	°C (t90)
-200	18.52										-200
-190	22.83	22.4	21.97	21.54	21.11	20.68	20.25	19.82	19.38	18.95	-190
-180	27.1	26.67	26.24	25.82	25.39	24.97	24.54	24.11	23.68	23.25	-180
-170	31.34	30.91	30.49	30.07	29.64	29.22	28.8	28.37	27.95	27.52	-170
-160	35.54	35.12	34.7	34.28	33.86	33.44	33.02	32.6	32.18	31.76	-160
-150	39.72	39.31	38.89	38.47	38.05	37.64	37.22	36.8	36.38	35.96	-150
-140	43.88	43.46	43.05	42.63	42.22	41.8	41.39	40.97	40.56	40.14	-140
-130	48	47.59	47.18	46.77	46.36	45.94	45.53	45.12	44.7	44.29	-130
-120	52.11	51.7	51.29	50.88	50.47	50.06	49.65	49.24	48.83	48.42	-120
-110	56.19	55.79	55.38	54.97	54.56	54.15	53.75	53.34	52.93	52.52	-110
-100	60.26	59.85	59.44	59.04	58.63	58.23	57.82	57.41	57.01	56.6	-100
-90	64.3	63.9	63.49	63.09	62.68	62.28	61.88	61.47	61.07	60.66	-90
-80	68.33	67.92	67.52	67.12	66.72	66.31	65.91	65.51	65.11	64.7	-80
-70	72.33	71.93	71.53	71.13	70.73	70.33	69.93	69.53	69.13	68.73	-70
-60	76.33	75.93	75.53	75.13	74.73	74.33	73.93	73.53	73.13	72.73	-60
-50	80.31	79.91	79.51	79.11	78.72	78.32	77.92	77.52	77.12	76.73	-50
-40	84.27	83.87	83.48	83.08	82.69	82.29	81.89	81.5	81.1	80.7	-40
-30	88.22	87.83	87.43	87.04	86.64	86.25	85.85	85.46	85.06	84.67	-30
-20	92.16	91.77	91.37	90.98	90.59	90.19	89.8	89.4	89.01	88.62	-20
-10	96.09	95.69	95.3	94.91	94.52	94.12	93.73	93.34	92.95	92.55	-10
0	100	99.61	99.22	98.83	98.44	98.04	97.65	97.26	96.87	96.48	0
0	100	100.39	100.78	101.17	101.56	101.95	102.34	102.73	103.12	103.51	0
10	103.9	104.29	104.68	105.07	105.46	105.85	106.24	106.63	107.02	107.4	10
20	107.79	108.18	108.57	108.96	109.35	109.73	110.12	110.51	110.9	111.29	20
30	111.67	112.06	112.45	112.83	113.22	113.61	114	114.38	114.77	115.15	30
40	115.54	115.93	116.31	116.7	117.08	117.47	117.86	118.24	118.63	119.01	40
50	119.4	119.78	120.17	120.55	120.94	121.32	121.71	122.09	122.47	122.86	50
60	123.24	123.63	124.01	124.39	124.78	125.16	125.54	125.93	126.31	126.69	60
70	127.08	127.46	127.84	128.22	128.61	128.99	129.37	129.75	130.13	130.52	70
80	130.9	131.28	131.66	132.04	132.42	132.8	133.18	133.57	133.95	134.33	80
90	134.71	135.09	135.47	135.85	136.23	136.61	136.99	137.37	137.75	138.13	90
100	138.51	138.88	139.26	139.64	140.02	140.4	140.78	141.16	141.54	141.91	100
110	142.29	142.67	143.05	143.43	143.8	144.18	144.56	144.94	145.31	145.69	110
120	146.07	146.44	146.82	147.2	147.57	147.95	148.33	148.7	149.08	149.46	120
130	149.83	150.21	150.58	150.96	151.33	151.71	152.08	152.46	152.83	153.21	130
140	153.58	153.96	154.33	154.71	155.08	155.46	155.83	156.2	156.58	156.95	140
150	157.33	157.7	158.07	158.45	158.82	159.19	159.56	159.94	160.31	160.68	150
160	161.05	161.43	161.8	162.17	162.54	162.91	163.29	163.66	164.03	164.4	160
170	164.77	165.14	165.51	165.89	166.26	166.63	167	167.37	167.74	168.11	170
180	168.48	168.85	169.22	169.59	169.96	170.33	170.7	171.07	171.43	171.8	180
190	172.17	172.54	172.91	173.28	173.65	174.02	174.38	174.75	175.12	175.49	190
200	175.86	176.22	176.59	176.96	177.33	177.69	178.06	178.43	178.79	179.16	200
210	179.53	179.89	180.26	180.63	180.99	181.36	181.72	182.09	182.46	182.82	210
220	183.19	183.55	183.92	184.28	184.65	185.01	185.38	185.74	186.11	186.47	220
230	186.84	187.2	187.56	187.93	188.29	188.66	189.02	189.38	189.75	190.11	230
240	190.47	190.84	191.2	191.56	191.92	192.29	192.65	193.01	193.37	193.74	240
250	194.1	194.46	194.82	195.18	195.55	195.91	196.27	196.63	196.99	197.35	250
260	197.71	198.07	198.43	198.79	199.15	199.51	199.87	200.23	200.59	200.95	260
270	201.31	201.67	202.03	202.39	202.75	203.11	203.47	203.83	204.19	204.55	270
280	204.9	205.26	205.62	205.98	206.34	206.7	207.05	207.41	207.77	208.13	280
290	208.48	208.84	209.2	209.56	209.91	210.27	210.63	210.98	211.34	211.7	290
300	212.05	212.41	212.76	213.12	213.48	213.83	214.19	214.54	214.9	215.25	300
310	215.61	215.96	216.32	216.67	217.03	217.38	217.74	218.09	218.44	218.8	310
320	219.15	219.51	219.86	220.21	220.57	220.92	221.27	221.63	221.98	222.33	320

Raystek Process Instruments LLP

Mfrs. of : RTD Sensors | Thermocouples | Thermowell | Gauges | Comp. Cables | Process Instruments

Address : 33,43,44 Raghuvir Estate, Opp. Jay Chemicals, Nr. Rudrax Complex, G.I.D.C. Odhav, Ahmedabad-382415. (Gujarat) INDIA

M : +91-97275 81848, +91-98250 30014, 99786 81848 | Web. : www.rayselectro.com | E-mail : info@rayselectro.com



**PT-100 Resistance/Ohms Chart**

°C (t90)	0	1	2	3	4	5	6	7	8	9	°C (t90)
<b>330</b>	222.68	223.04	223.39	223.74	224.09	224.45	224.8	225.15	225.5	225.85	<b>330</b>
<b>340</b>	226.21	226.56	226.91	227.26	227.61	227.96	228.31	228.66	229.02	229.37	<b>340</b>
<b>350</b>	229.72	230.07	230.42	230.77	231.12	231.47	231.82	232.17	232.52	232.87	<b>350</b>
<b>360</b>	233.21	233.56	233.91	234.26	234.61	234.96	235.31	235.66	236	236.35	<b>360</b>
<b>370</b>	236.7	237.05	237.4	237.74	238.09	238.44	238.79	239.13	239.48	239.83	<b>370</b>
<b>380</b>	240.18	240.52	240.87	241.22	241.56	241.91	242.26	242.6	242.95	243.29	<b>380</b>
<b>390</b>	243.64	243.99	244.33	244.68	245.02	245.37	245.71	246.06	246.4	246.75	<b>390</b>
<b>400</b>	247.09	247.44	247.78	248.13	248.47	248.81	249.16	249.5	249.85	250.19	<b>400</b>
<b>410</b>	250.53	250.88	251.22	251.56	251.91	252.25	252.59	252.93	253.28	253.62	<b>410</b>
<b>420</b>	253.96	254.3	254.65	254.99	255.33	255.67	256.01	256.35	256.7	257.04	<b>420</b>
<b>430</b>	257.38	257.72	258.06	258.4	258.74	259.08	259.42	259.76	260.1	260.44	<b>430</b>
<b>440</b>	260.78	261.12	261.46	261.8	262.14	262.48	262.82	263.16	263.5	263.84	<b>440</b>
<b>450</b>	264.18	264.52	264.86	265.2	265.53	265.87	266.21	266.55	266.89	267.22	<b>450</b>
<b>460</b>	267.56	267.9	268.24	268.57	268.91	269.25	269.59	269.92	270.26	270.6	<b>460</b>
<b>470</b>	270.93	271.27	271.61	271.94	272.28	272.61	272.95	273.29	273.62	273.96	<b>470</b>
<b>480</b>	274.29	274.63	274.96	275.3	275.63	275.97	276.3	276.64	276.97	277.31	<b>480</b>
<b>490</b>	277.64	277.98	278.31	278.64	278.98	279.31	279.64	279.98	280.31	280.64	<b>490</b>
<b>500</b>	280.98	281.31	281.64	281.98	282.31	282.64	282.97	283.31	283.64	283.97	<b>500</b>
<b>510</b>	284.3	284.63	284.97	285.3	285.63	285.96	286.29	286.62	286.95	287.29	<b>510</b>
<b>520</b>	287.62	287.95	288.28	288.61	288.94	289.27	289.6	289.93	290.26	290.59	<b>520</b>
<b>530</b>	290.92	291.25	291.58	291.91	292.24	292.56	292.89	293.22	293.55	293.88	<b>530</b>
<b>540</b>	294.21	294.54	294.86	295.19	295.52	295.85	296.18	296.5	296.83	297.16	<b>540</b>
<b>550</b>	297.49	297.81	298.14	298.47	298.8	299.12	299.45	299.78	300.1	300.43	<b>550</b>
<b>560</b>	300.75	301.08	301.41	301.73	302.06	302.38	302.71	303.03	303.36	303.69	<b>560</b>
<b>570</b>	304.01	304.34	304.66	304.98	305.31	305.63	305.96	306.28	306.61	306.93	<b>570</b>
<b>580</b>	307.25	307.58	307.9	308.23	308.55	308.87	309.2	309.52	309.84	310.16	<b>580</b>
<b>590</b>	310.49	310.81	311.13	311.45	311.78	312.1	312.42	312.74	313.06	313.39	<b>590</b>
<b>600</b>	313.71	314.03	314.35	314.67	314.99	315.31	315.64	315.96	316.28	316.6	<b>600</b>